

이천시 금연 환경 조성 및 간접흡연 피해방지 조례 시행규칙

소관부서 : 보건소(건강증진과)

제정 2013· 4· 18 규칙 제475호
일부개정 2025· 5· 16 규칙 제790호

제1조(목적) 이 규칙은 「이천시 금연 환경 조성 및 간접흡연 피해방지 조례」에서 위임된 사항과 그 시행에 필요한 사항을 규정함을 목적으로 한다. 〈개정 2025· 5· 16〉

제2조(안내 표지판 설치 기준) ① 「이천시 금연 환경 조성 및 간접흡연 피해방지 조례」(이하 “조례”라 한다) 제6조 및 제7조에 따른 금연구역 등 안내 표지판의 설치 기준은 별표와 같다. 〈개정 2025· 5· 16〉

② 조례 제7조에 따라 금연구역 내 흡연 장소를 설치하는 경우에는 표지판에 흡연 장소의 위치와 면적을 표시할 수 있다.

제3조(금연구역 경계의 표시) 조례 제6조제2항에 따른 금연구역의 경계표시는 안내 표지판에 다음 각 호 중 어느 하나를 표시하는 방법에 따른다.

1. 기준이 되는 지점 및 면적
2. 도면
3. 그 밖에 알기 쉽게 표시할 수 있는 방법

부칙

이 규칙은 공포한 날부터 시행한다.

부칙 〈2025· 5· 16 규칙 제790호〉

이 규칙은 공포한 날부터 시행한다.

[별표] <개정 2025. 5. 16>

안내표지판 설치 기준 등(제2조)

1. 안내표지판의 모양

가. 도시공원 표지판(예시)	
	ㄱ. 규격 : 60cm×180cm×14.6cm ㄴ. 전용서체 : 윤고딕 ㄷ. 전용색상 : 바탕(도토리색) 판테두리·지주(초록색) 글자(흰색,노란색) 금연마크(적색) ㄹ. 재질 및 설치방법 1)표지판 : 표기사항 원목 샌드블라스트 가공, 스테인 도색 2)판 테두리 : 오일스테인 처리 3)지주 : 목재에 오일스테인 처리 4)스텐드형
나. 학교 절대정화구역 표지판(예시)	
	ㄱ. 규격 : 60cm×40cm ㄴ. 전용서체 : 윤고딕 ㄷ. 전용색상 바탕(흰색), 테두리(적색) 글자(흰색,노란색,적색) ㄹ. 재질 : 포맥스 실사출력 부착

다. 버스정류소 표지판(예시)  The sign is red with a white border. It features a 'No Smoking' symbol (a cigarette with a slash) at the top left. To its right, the text '금연' (No Smoking) is written in large red characters, and '버스 정류소' (Bus Stop) is written below it in black. In the center, there is a green bus icon on a yellow oval with a red arrow pointing to it and the text '10m'. Above the bus icon, it says '상쾌한 기다림~*' (Fresh waiting~*). Below the bus icon, it says '버스 승강장으로부터 10m 이내에서 흡연시 5만원의 과태료가 부과됩니다.' (If you smoke within 10m of the bus stop, a fine of 50,000 won will be imposed). At the bottom, there is a small logo and the text '이천시보건소' (Eicheon City Health Center).	ㄱ. 규격 : 30cm×45cm ㄴ. 전용서체 : 윤고딕 ㄷ. 전용색상 바탕(흰색), 테두리(적색) 글자(흰색,노란색,적색,연두색) ㄹ. 재질 : 포맥스 실사출력 부착
라. 그 밖에 금연구역 표지판(예시)  The sign is white with a red border. It features a 'No Smoking' symbol (a cigarette with a slash) on the left. To its right, the text '금 연' (No Smoking) is written in large red characters. Below this, it says '금연구역에서 담배를 피우면 과태료 5만원이 부과됩니다.' (If you smoke a cigarette in a no-smoking area, a fine of 50,000 won will be imposed). At the bottom, there is a small logo and the text '이천시보건소 흡연단속 및 금연상담 031-644-4053'.	ㄱ. 규격 : 19cm×7cm ㄴ. 전용서체 : 윤고딕 ㄷ. 전용색상 바탕(흰색), 테두리(적색) 글자(적색,검정색) ㄹ. 재질 : 포맥스 실사출력 부착
마. 흡연 장소 표지판(예시)  The sign is dark grey with a white border. It features a white speech bubble on the left containing a red cigarette icon. To the right of the speech bubble, the text 'Smoking Area' is written in white, and '흡연구역' (Smoking Area) is written in large white characters. At the top right, there is a small logo and the text '이천시보건소'.	ㄱ. 규격 : 24cm×15cm ㄴ. 전용서체 : 국문타이틀(윤고딕 240) 영문(윤고딕 230) ㄷ. 전용색상 : 바탕(회색) 흡연마크(적색) 글자(흰색) ㄹ. 재질 : 포맥스 실사출력 부착

2. 표시방법

- 가. 해당 구역의 규모나 설치환경에 따라 필요하다고 인정되는 경우 안내 표지판의 모양, 크기 및 재질 등을 다르게 할 수 있다.
- 나. 안내 표지판의 글자는 한글로 표기하며, 필요한 경우에는 영문을 함께 사용할 수 있다.

3. 설치방법

- 가. 금연구역 표지판은 다음의 장소 중 눈에 잘 보이는 곳에 설치한다.
 - 1) 지정된 구역의 입구 및 출구 등을 중심으로 사람들의 이동이 잦은 곳
 - 2) 사람들이 흡연을 위하여 자주 찾는 곳
 - 3) 그 밖에 금연구역임을 알릴 필요가 있는 곳
- 나. 흡연장소 표지판은 해당 장소를 쉽게 알아볼 수 있도록 설치한다.